

AGN

Notice of Allowability	Application No.	Applicant(s)	
	10/786,299	MCCLURE, BRENT A.	
	Examiner	Art Unit	
	Lee, Calvin	2818	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--
 All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Remark dated November 4, 2005.
2. ☒ The allowed claim(s) is/are 1-21, 39-43.
3. ☒ The drawings filed on 2/26/04 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>hereto</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |


 David Nelms
 Supervisory Patent Examiner
 Technology Center 2800

OFFICE ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312:

Claim 11, line 10, after "charge collection region" insert --to form a doped area in said charge collection region--

Claim 11, line 11, after "within said slot" insert --, the contact being in electrical connection to said charge collection region--

Claim 39, line 8, after "floating diffusion region" insert --to form a doped area in said floating diffusion region--

Claim 39, line 9, after "floating diffusion region" insert --, the contact being in electrical connection to said floating diffusion region--

Authorization for this examiner's amendment was given in a telephone interview with Megan S. Woodworth on November 17, 2005.

Allowable Subject Matter

2. Claims 1-21 and 39-43 are allowed. Following is the reason for allowance:

The closest prior art, US 2005/0023553 to *Rhodes*, does not disclose, *inter alia*, forming a slot in a passivation layer in an area over a floating diffusion region of a pixel sensor cell.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

4. Any inquiry concerning this communication from the Examiner should be directed to Calvin Lee at (571) 272-1896 on Mondays thru Thursdays 6:30-4:30 (EST). If attempts to reach the examiner by telephone are unsuccessful, Art Unit 2818's Supervisory Patent Examiner David Nelms can be reached at (571) 272-1787. The central fax number for the organization (where this application is assigned to) is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system at <http://pair-direct.uspto.gov>. Should you have questions on access to the PAIR system, contact the Electronic Business Center at (866) 217-9197.

CL

David Nelms
Supervisory Patent Examiner
Technology Center 2800

Dated: November 17, 2005